BATHROOMPODS

Showering & Drainage Solutions

NEW



BATHROOMPODS

OUR VISION

As the UK's leading Wetroom manufacturer we offer a unique range of drainage solutions designed specifically to suit shallow floor construction of all types. All of our drainage solutions can be manufactured with bespoke design brackets to accommodate specific requirements.

PRODUCT RANGE


- Drainage solutions for Timber, Solid and Raised
 Access Floors, as shallow as 55mm (including the trap)
- Pre-formed shower base 22mm I Imm
- Linear and Square grill options
- Range of waterproofing solutions
- Shallow shower tray trap Only 50mm
- CAD design drawings available



Example showing typical timber floor

TIMBER FLOOR SOLUTIONS

- Waterless & standard trap options
- Drain body only I Imm deep ^{‡1}
- Flow rate up to 70 L/min
- Pre-formed gradient
- Shower area any size
- Any grill length up to 2000mm
- BBA Approved





‡I Excluding trap Typical details


SOLID FLOOR SOLUTIONS

- Waterless and standard trap options
- Flow rate up to 70 L/min
- Height Adjustable brackets
- Bespoke bracket options
- Any grill length up to 2000mm
- Minimum height 55mm with Standard Brackets ‡2
- Minimum height 38mm with Extra Shallow Brackets ^{‡2}
- BBA Approved






‡2 Waterless trap option



Typical details - standard brackets

SHOWER TRAP SOLUTIONS

- O-SEAL Waterless Trap
- Only 50mm deep ‡3
- Flow rate up to 27 L/min
- No odours Trap always sealed
- Suitable for various tray thicknesses
- BBA Approval pending




BATHROOMPODS

WATERPROOFING SOLUTIONS

- Sheet waterproofing/de-coupling membranes from only Imm thick
- Liquid membrane systems
- Quick & easy to apply
- Lifetime Guarantee ‡4

‡4 Sheet membanes





CCL Wetrooms
Lodge Farm
Hook Road
North Warnborough
Hook
RG29 IHA



